Aaronag GmbH Stockackerstr. 22 CH 4153 Reinach Tel +41 (0)61 501 82 09 Fax +41 (0)31 932 00 91 info@aaronag.ch www.aaronag.ch



OFFICE SOLUTIONS

ARCO





■ FRAME

30 mm thickness MFC panel ends including: steel hub cap trim epoxy finished. 16 mm modesty panel with aluminium trim. The 80 and 67 cm deep panel ends include cable ports. Different accessories available (pedestals, storages, CPU holder, electrification channel...)



30 mm thickness MFC panel ends with aluminium hub cap trim $\,$



80 and 67 cm deep panel ends include cable ports.



Anti humidity metal feet with antiskid pads

FINISHES

MFC (30 mm)







Noyer-N Wengue

(See finishes cards)



ARCO has been designed to be manufactured with recycled materials, danger substances such as chrome, mercury or cadmium are not used in big quantity. Recycables Aluminium and Steel 100%. Organic volatile Components. Packages manufactured with recycled carton. Ink thinner





PRODUCTION

Energy use is optimized during the production process. Minimum environmental impact. Last generation technological system in coating processes. Painting that have not been used is recovered to use it again. Zero COVs emissions and other contaminant gas. Close water circuit to clean the metals. Heat recovery. Automatic manufacture systems. Cut process is planned.



TRANSPORT

Optimum packaging to reduce space in transport and save energy.



Long lasting use. Spare parts and replacements available. Easy to clean and maintenance.



Recycable. Easy and quick to split ARCO components. Packages are reuse by our supplier to avoid waste generation. Carton used in packages is recyclable.

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).













ISO 14001 Certificate



E1 by EN 13986 Certificate



ACTIU TECHNOLOGICAL PARK project certified as LEED® GOLD by U.S. Green Building Council 2011 Leadership in Energy & Environmental Design

■ ERGONOMICS

ARCO available for all type of users. Perfect for any need and keep user's posture in a natural way without any manual adjustment.

STANDARDS

ARCO has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to UNE standards and office desks:

- UNE: EN 527-1:2003. Office Furniture. Desks. Part 1: Dimensions.
- UNE: EN 527-2:2003. Office Furniture. Desks. Part 2: Mechanical security requirements.
- UNE: EN 527-3:2003. Office Furniture. Desks. Part 3: Test to determine stability and structure resistance.

■ ECOLOGY

ENERGY SAVING

The new technological production system included, reduce the energy resources used to manufacture each component. Materials are very well used to avoid wastes.

RECYCLED AND RECYCABLE MATERIALS

ACTIU environmental policy opts to use recycled materials in those components where functionality and lasting is not a condition. Materials used in Arco such as Aluminium or Wood are totally recyclable.

SUSTAINABLE CERTIFICATE

ACTIU has **PEFC and FSC** certificate to proof that the wood used in our products comes from sustainable exploitations and **ECODESIGN ISO 14006 certificate**.

ARCO FTM 1010 059





Aaronag GmbH

Stockackerstr. 22 CH-4153 Reinach Tel +41 (0)61 501 82 09 Fax +41 (0)31 932 00 91 info@aaronag.ch www.aaronag.ch

Büromöbel, Betriebseinrichtung, Stadionbestuhlung, Kinostühle, Strassenmöblierung, Tribünen, Lagereinrichtung, Gastronomiemöbel, Schulmöbel, Hörsaalbestuhlung, Schliessfächer, Garderobenbänke, Regalsysteme, Archive, Bibliothek, Wellnesseinrichtung, Pneuschrank, Tresor, Theaterbestuhlung. Lagergestelle, Regale, Einrichtung für Fitness-Studio, Auditorienbestuhlung, Büroeinrichtung, Schuleinrichtung, Gastronomieeinrichtung. Sportplatzbestuhlung, Mehrzweckhalleneinrichtung, Kindergartenmöbel, Konzerthallenbestuhlung, Garderobenschränke. Werkstatteinrichtung, Ablagesysteme, Kindergarteneinrichtung,