

# **OFFICE SOLUTIONS**


## **DESK MOUNTED SCREENS**






■ Desks mounted screens


Desk-Mounted screens, different sizes available, fixing kits and finishes. Easy to be adapted to any surface. They provide visual contact but at the same time privacy. Twin desks with electrification system have their own desk-mounted screens (**D50 Serie for Vital or Arkitek**)




• **Serie D80:** Screens for individual desks use



• **Serie D20:** Screens for twin desks use



• **Serie D70:** screens for progressive desks use



• **Serie D50:** Screens for twin desks with electrification central use

■ FINISHES

Boards MFC (16 mm)



Silver

Boards MFC + Fabric (22 mm aprox.)



Fabric T

Laminatd Security Glass (4+4 mm) / Tempered glass (8 mm)



Frosted




White



Blue

Acrylic (8 mm)



Frosted

(See finishes cards)

Polycarbonate (10 mm)



Frosted

Extruded aluminium (1,5 mm)




Silver




■ Toolbar for 3rd level

3rd level accessory rail. Click-on system. Extruded aluminium available up to 4-5 kgs (17" monitor)




• **Individual desks toolbars:**  
Click-on system can fit to any desk shape. Toolbar rail can be used for 3rd level accessories on both sides




• **Electrification twin desks toolbars:**  
Click-on system can fit to any desk shape. Toolbar rail can be used for 3rd level accessories on both sides.

PROGRAM AND SIZES DESKS MOUNTED SCREENS


Screens 33 cm height




Screens 28 cm height




Screens 45 cm height




Screens 30 cm height




Screens 25 cm height



Screens 50/40 cm height




Screen - modesty panels



PROGRAM AND SIZES TOOLBARS 3rd LEVEL

Toolbars



Electrification twin desks toolbars



PROGRAM: VITAL

	Desk mounted screen Front side assemble	Desk mounted screen Assemble in progressive desks	Desk mounted screen Assemble desk-mounted screens
<b>Vital</b> Individual desks		PIECES LEG TOPS 13 mm and 25 mm thickness	Adhesive to fix it under the desktop
<b>Vital</b> Twin desks		PIECES LEG TOPS 13 mm and 25 mm thickness	
<b>Vital</b> Twin desks Electrificación		PIECES LEG TOPS 13 mm and 25 mm thickness	











FITTING MATERIAL: Brackets (plane pieces) B, Steel 5 mm thickness and Pieces C, moulded aluminium. Piece A is made of Polyamide

PROGRAM: VITAL PLUS

	Desk mounted screen Front side assemble	Desk mounted screen Assemble in progressive desks
<b>Vital Plus</b> Individual desks		PIECES LEG TOPS 13 mm and 25 mm thickness
<b>Vital Plus</b> Progressive desks	Fixing left    Fixing Center    Fixing right	PIECES LEG TOPS 13 mm and 25 mm thickness
<b>Vital Plus</b> Twin desks		PIECES LEG TOPS 13 mm and 25 mm thickness







FITTING MATERIAL: Brackets (plane pieces), Steel 5 mm thickness and volume pieces are made of moulded aluminium

**PROGRAM: COOL**

	Desk mounted screen Front side assemble	Desk mounted screen Assemble in progressive desks
		
<b>COOL E100</b> Individual desks		 <b>PIECES LEG TOPS</b> 13 mm and 25 mm thickness
<b>COOL E100</b> Twin desks		 <b>PIECES LEG TOPS</b> 13 mm and 25 mm thickness
<b>COOL R200 - C400 - C500</b> Individual desks		 <b>PIECE LEG TOP</b> 30 mm thickness
<b>COOL R200 - C400 - C500</b> Twin desks		 <b>PIECE LEG TOP</b> 30 mm thickness

**FITTING MATERIAL:** Brackets (plane pieces) **B**, Steel 5 mm thickness and Pieces **C**, moulded aluminium

**PROGRAM: TRAMA**

	Desk mounted screen Front side assemble	Desk mounted screen Assemble in progressive desks
		
<b>TRAMA</b> Individual desks		 <b>PIECES LEG TOPS</b> 13 mm and 25 mm thickness
<b>TRAMA</b> Twin desks		 <b>PIECES LEG TOPS</b> 13 mm and 25 mm thickness

PROGRAM: ARKITEK

	<div>Desk mounted screen Front side assemble</div> <div></div>	<div>Desk mounted screen Assemble in progressive desks</div> <div></div>
<div>ARKITEK Individual desks</div>		
<div>ARKITEK Twin desks</div>	<div></div>	

PROGRAMS: VITAL Y ARKITEK

<div>TOOLBARS Twin desks Electrificación</div>	<div></div>	<div></div>
--	-------------	-------------

FITTING MATERIAL: Brackets (plane pieces) B, Steel 5 mm thickness and Pieces C, moulded aluminium

PROGRAMS: CENTRALAND OFIMAT

	<div>Desk mounted screen Front side assemble</div> <div></div>	<div>Desk mounted screen Assemble in progressive desks</div> <div></div>
<div>CENTRAL - OFIMAT Individual desks</div>	<div></div>	
<div>CENTRAL - OFIMAT Individual desks</div>	<div><div>Desk mounted screen Front side assemble</div><div></div><div></div><div>2,5 cm.</div><div>moulded aluminium</div></div>	<div><div>Screen - modesty panels (Polycarbonate) Front side assemble</div><div></div><div></div><div>2,5 cm.</div></div>

PROGRAMS: **COLECTIVA**

	<div>Desk mounted screen Front side assemble</div> <div></div>	<div>Desk mounted screen Assemble in progressive desks</div> <div></div>
<div>COLECTIVA Individual desks</div>	<div>C</div> <div></div>	<div></div>


PROGRAMS: **DYNAMIC**

	<div>Desk mounted screen Front side assemble</div> <div></div>	
<div>DYNAMIC Individual desks</div>	<div></div> <div></div>	

PROGRAMS: **ALL PROGRAMS**

<div>TOOLBARS Individual desks</div>	<div></div>	<div></div> <div>CLICK-ON SYSTEM</div> <div>C</div>
--	-------------	---

54,03% recycled materials



### MATERIALS

**DESK MOUNTED SCREENS** has been designed to be manufactured with recycled materials 54,03%, danger substances such as chrome, mercury or cadmium are not used in big quantity. Recyclables Aluminium, Steel and Woods 100%. Organic volatile Components. Packages manufactured with recycled carton. Ink thinner free.



### PRODUCTION

Energy use is optimized during the production process. Minimum environmental impact. Last generation technological system in coating processes. Painting that have not been used is recovered to use it again. Zero COVs emissions and other contaminant gas. Close water circuit to clean the metals. Heat recovery. Automatic manufacture systems. Cut process is planned.



### TRANSPORT

Optimum packaging to reduce space in transport and save energy.



### USE

Long lasting use. Spare parts and replacements available. Easy to clean and maintenance.



### DISPOSAL

98% recyclable. Easy and quick to split **DESK MOUNTED SCREENS** components. Packages are reuse by our supplier to avoid waste generation. Carton used in packages is recyclable.

## CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsible forestry



PEFC Certificate



EN ISO 14006:2011  
ECODESIGN Certificate



ISO 9001 Certificate



ISO 14001 Certificate



E1 by EN 13986 Certificate



**ACTIU TECHNOLOGICAL PARK**  
project certified as LEED® GOLD  
by U.S. Green Building Council 2011  
Leadership in Energy & Environmental Design



## ■ REMARKABLE VALUES

**1** – Legs covered with epoxy coating, bonding 2nd generation polymerized 200°C. Non-greasy treatments and nano-ceramics application to improve the coating so it becomes more resistance and long-lasting.

**2** - Coating 80-90 micron thickness (it could be different as per the project requirements)

This covering guarantees the finish and maintenance of metal structures.

Antibacterial finish (Optional).

**3** - Painting process:

Actiu painting plant has minimum environmental impact against the traditional industry processes.

Treatment is done by polarized coating and compacted with temperature.

We get homogeneous and regular application with 98% of painting and the remaining 2% is used to produce other paints. Paints used are COVs free (Volatile Organic Components) which are very dangerous for the environment.

All water used in the process is re-used, so we get zero dump.

The process is free in heavy metal, phosphate, organic components and DQD (Biochemical demand of Oxygen).

The necessary hydrogen to cut the metal is generated in the cutting plant just before use it:

Important energy saving

We do not transport or store gas.

**4** - **Optional** accessories fixed to the beams, modesty panels, screens, CPU holders or fixed pedestals....

**5** - ACTIU has **PEFC y FSC**, certificate to proof that the wood used in our products comes from sustainable exploitations and **ECODESIGN ISO 14006** certificate.



[www.aaronag.ch](http://www.aaronag.ch)

Aaronag GmbH, Stockackerstr. 22, CH-4153 Reinach, Tel +41 (0)61 501 82 09, Fax +41 (0)31 932 00 91, [info@aaronag.ch](mailto:info@aaronag.ch), [www.aaronag.ch](http://www.aaronag.ch)